

DAFTAR REFERENSI

- [1] Kendall E. Atkinson. *Elementary Numerical Analysis*. second edition. John Wiley & Sons, Inc. Singapore, 1993
- [2] G. J. Borse. *Numerical Methods with MATLAB: A Resource for Scientists and Engineers*. PWS Publishing Company. Boston, 1997
- [3] Curtis F. Gerald and Patrick O. Wheatley. *Applied Numerical Analysis*. 5th edition. Addison-Wesley Publishing Company. Reading, Massachusetts, 1994
- [4] John W. Harris and Horst Stocker. *Handbook of Mathematics and Computational Science*. Springer-Verlag. New York, 1998
- [5] Ian Jacques and Colin Judd. *Numerical Analysis*. Chapman and Hall. New York, 1987
- [6] John H. Mathews. *Numerical Methods for Mathematics, Sciences, and Engineering*. 2nd edition. Prentice-Hall, Inc. Englewood Cliffs, 1992
- [7] Francis Scheid. *Schaum's Outline of Theory and Problems of Numerical Analysis*. second edition. McGraw-Hill Book Co. Singapore, 1989
- [8] E. A. Volkov. *Numerical Methods*. Hemisphere Publishing Corporation. New York, 1990

INDEKS ISTILAH

A

Algoritma
 Iterasi Gauss–Seidel, 109
 Iterasi Jacobi, 100
algoritma, 1, 2, 7, 8, 39–41, 44, 46
 stabil, 5, 39
 tidak stabil, 6, 39
 eliminasi Gauss–Jordan, 78
 iterasi Jacobi, 103
Analisis
 Algoritma Eliminasi Gauss,
 72
angka
 signifikan, 22
 signifikan, 6, 23, 33, 35, 45,
 48, 49
antiderivatif, 301, 401, 485
aritmetika
 interval, 33
 titik-mengambang, 34
Aturan
 Gauss – Legendre
 Tiga Titik, 344
 Simpson
 Majemuk, 326
 Trapesium
 Majemuk, 320
aturan
 Boole, 305, 342
 majemuk, 336, 337, 361

Gauss – Legendre, 345
Simpson, 302, 304, 305, 324,
 325, 330, 342, 360, 426,
 439
 majemuk, 336, 337
trapesium, 302, 305, 328, 330,
 332, 342, 359, 424
 majemuk, 320, 333
 rekursif, 334

B

Bandwidth suatu SPL, 73
baris pivot, 63, 68
barisan, 486
 aturan Simpson
 majemuk, 337, 361
 aturan trapesium, 333, 360
 majemuk, 336
 galat, 482
 konvergen, 482
batas
 galat mutlak, 20, 48
 galat relatif, 20, 48
 toleransi, 100
bebas linier, 67
bentuk
 eselon baris tereduksi, 77,
 124
bergantung secara linier, 65
bit, 14–16, 50
bobot, 302, 342, 357

- kuadratur Gauss-Legendre, 345
- C
- chopped floating-point representation, 25, 49
- D
- definit positif, 87, 113, 126
- derajat
- keakuratan, 343
 - rumus kuadratur, 303
 - suatu hampiran, 303
- Derajat keakuratan
- kuadratur, 303
- deret
- divergen**, 486
 - konvergen**, 486
 - geometri, 10, 486
 - tak berhingga, 6, 45, 486
 - Taylor, 24, 29, 328, 371, 373, 415
- derivatif fungsi, 370
- determinan, 54
- diagonal utama, 62, 74, 83, 86
- digit
- benar, 23
 - biner (**bit**), 14
 - desimal, 25, 49
 - signifikan, 23, 27
- dilema lebar langkah, 390
- dominan secara diagonal, 107, 113
- E
- eksponen, 13, 14, 47, 48
- ekstrapolasi, 377
- Richardson, 338
- elemen pivot, 63–65, 67, 74
- F
- faktorisasi Choleski, 87
- faktorisasi LU, 80, 84, 85, 87
- Faktorisasi **Choleski**, 87
- Faktorisasi **Crout**, 87
- faktorisasi **Doolittle**, 87
- fungsi
- diferensiabel**, 483
 - fungsi kontinu, 482
- Fungsi MATLAB
- dec2bin, 7
 - quad1, 351
 - quad, 351
 - rank(A), 125
 - boole, 305
 - simpson38, 305
 - simpson3, 305
 - trape2, 305
- fungsi MATLAB
- bin2dec, 18
 - dblquad, 355
 - dec2bin, 19
 - deriver, 380
 - euler4pdb, 418
 - gaussd, 118, 119
 - jacobi, 104
 - lu, 84
 - plot3, 354
 - sor, 119
 - traperekursif, 334
- G
- Galat
- Aturan Simpson, 330
 - Aturan Trapesium, 328
 - bawaan, 6, 45
 - pembulatan, 6, 45
 - pemotongan, 6, 45
 - galat, 3, 4, 10, 20, 32, 35, 48

- argumen (masukannya), 4
 bawaan, 3–5
 data awal, 4
 hampiran awal, 112
 hampiran ke- k , 112
 komputasi, 5
 kumulatif, 5
 metode, 4, 5
 mutlak, 20, 23, 26, 48
 pembulatan, 24
 pembulatan, 5, 38, 68
 pemotongan, 24, 372, 373
 integral, 302, 357
 pada rumus kuadratur, 303
 rambatan, 33, 34, 50
 relatif, 20, 21, 26, 34, 39, 48
 galat (*error*), 45
 garis singgung kurva, 484
 gradien, 484
 garis busur, 370
 garis singgung, 367
 tali busur, 366
- H
- hampir singular, 68
 hampiran, 3, 4
 awal, 100, 109
 gradien garis singgung, 370
 integral, 336, 342, 440
 jumlah kanan, 314
 jumlah kiri, 312
 jumlah Riemann, 485
 titik tengah, 316
 trapesium, 319
- I
- ill-conditioned problems, 56
 inherent error, 6, 45
 integral, 301
- Riemann, 485
 tentu, 301, 485
 integrasi
 numerik, 301, 302
 Romberg, 338, 361
 interval
 integrasi, 304
 terbuka, 483
 invers matriks, 83
 iterasi matriks, 111
 Gauss–Seidel, 111
 stasioner, 111
 Gauss–Seidel, 118
 stasioner, 112
- J
- Jumlah
 parsial, 486
 jumlah
 Riemann, 485
- K
- kehilangan signifikansi, 29
 kekonvergenan
 iterasi Gauss–Seidel, 113
 iterasi Jacobi, 107
 komputasi numerik, 1, 3, 5, 9, 20,
 29, 39, 45
 konstanta Lipschitz, 406, 475
 kriteria
 kekonvergenan, 118
 iterasi Gauss–Seidel, 112,
 113
 kuadratur, 302, 348, 357
 Gauss
 dua titik, 344
 Gauss-Legendre, 303
- L

- laju kekonvergenan, 123
 leading 1, 77, 124
 limit, 10
 jumlah Riemann, 301
 barisan, 482
 fungsi, 481, 482
 loss of significance, 29
 luas di bawah kurva parabola,
 325
- M
- mantis, 13, 14, 16, 21, 26, 47, 48
 masalah
 nilai awal, 401, 475
 matriks
 bentuk eselon baris tereduksi, 77
 nonsingular, 54
 singular, 54
 augmented, 123
 augmented, 53, 59, 64, 74, 77
 bujur sangkar, 80
 diagonal, 87, 101, 111, 126
 diagonal satuan, 74, 76
 koefisien, 53, 64, 68, 76, 77,
 80, 100, 107, 109, 110,
 113, 123–125
 konstanta, 53, 77
 segitiga atas, 62, 64, 80, 83,
 101, 126
 segitiga bawah, 80, 87, 101,
 111, 126
 tereduksi, 74
 medan arah, 409
 Metode
 Adams–Bashforth, 440
 Choleski, 126
 Crout, 126
 Iterasi Gauss–Seidel, 127
 Iterasi Jacobi, 126
 Milne–Simpson, 439
 SOR (*Successive Over-Relaxation*), 117, 127
 metode, 317
 Doolittle, 86, 126
 iteratif, 51
 langsung, 51
 pembagian sintetik, 489
 penentuan pivot parsial, 63
 tak langsung, 51
 Adam–Bashforth
 Empat–Langkah, 442
 Adams–Bashforth, 442
 Tiga–Langkah, 441
 Adams–Moulton, 442
 Doolittle, 87
 eksak, 3
 eliminasi Gauss, 59, 62, 66,
 74, 80, 124
 eliminasi Gauss–Jordan, 74,
 76
 Euler, 413, 415, 422, 424
 faktor integrasi, 402
 Heun, 424, 426
 Horner, 489
 integrasi, 303
 iterasi Gauss–Seidel, 108,
 109, 111
 iterasi Jacobi, 101, 107
 iterasi **relaksasi**, 117
 iteratif, 100
 koefisien tak tentu, 304
 Milne–Simpson, 439
 numerik, 1, 4–6, 45
 penentuan pivot total, 65
 Prediktor–Korektor, 439
 RK2, 424

- Runge–Kutta, 422
 orde 4, 428
 statistika, 4
- model
 matematika, 3
- N
- nilai
overflow, 17
underflow, 16
 hampiran, 330
 maksimum, 483
 minimum, 483
 tempat, 27
- notasi ilmiah, 13, 47
- O
- operasi
 aljabar, 52
 aritmetika, 1, 2, 4, 5, 34, 80
 aritmetika, 32
 baris, 73
 baris elementer, 59, 77
 hitung, 1
 logika, 1
 pertukaran baris, 64
- orde hampiran, 488
 orde kekonvergenan, 489
- P
- parameter, 4
 metode, 4
 relaksasi, 117, 118, 127
- pecahan
 biner, 9, 11, 12, 14, 37, 47, 48
 desimal, 9–12, 47
 rasional, 9
- pembatalan pengurangan, 29
 pembuat nol, 343
- penentuan pivot parsial, 62, 65, 124
- perambatan galat, 5, 34, 41
eksponensial, 40
linier, 40
- perintah
 quiver, 410
- perintah MATLAB
 meshgrid, 410
- perkalian
 tersarang, 490
- Persamaan
 diferensial
 tingkat tinggi, 449
- persamaan, 328
 aljabar, 52
 diferensial, 52, 303, 399, 449
 biasa, 399
 terpisahkan, 412
 tingkat satu, 400
- integral, 52
 korektor, 442
 parabola, 324
 prediktor, 442
 transendental, 52
- Polinomial
 Legendre
 berderajat n , 342
- polinomial, 29, 303, 439
 interpolasi, 304, 440, 442
 kuadrat, 440
 kubik, 441, 442
 Lagrange, 392
 linier, 440
 Newton, 391
- Legendre, 303
 berderajat dua dan tiga, 343

- Taylor, 365
 Taylor berderajad n , 487, 488
 polinomial berderajad n , 52
 prediktor
 Milne, 439
 presisi
 ganda, 28
 tunggal, 27
 proses
 substitusi maju, 125
 substitusi mundur, 125
 penyulihan balik, 80
 penyulihan mundur, 63, 73
 substitusi (penyulihan)
 mundur, 62
 substitusi mundur, 63, 124
- R
- Rank
 matriks matriks *augmented*,
 77
 rank, 77, 125
 rasio, 10
 reduced row echelon form, 77,
 124
 residu, 117
 round-off errors, 5
 rounded floating-point, 25, 49
 rumus, 343
 ekstrapolasi
 Richardson, 377
 integral numerik, 302, 357
 integrasi, 303
 integrasi numerik, 302
 kuadratur, 346
 Gauss, 344
 Gauss – Legendre, 343, 362
 Gauss–Legendre, 343
 Newton – Cotes, 304
 Newton–Cotes, 303
 Newton – Cotes, 342
 Newton–Cotes
 tertutup, 303
 selisih maju, 390
 dua-titik, 366
 tiga titik, 383
 selisih mundur, 390
 tiga titik, 383
 dua-titik, 368
 selisih pusat, 372, 383, 386
 dua-titik, 369
 Simpson, 439
 trapesium, 304
 rekursif, 333
- S
- scientific notation, 13, 47
 selisih terbagi Newton, 391
 simetris, 87, 113, 126
 simpul kuadratur, 302, 357
 sistem
 biner, 6–8, 10, 46
 desimal, 6, 11, 12
 heksadesimal, 6, 8
 homogen, 53
 persamaan diferensial, 51
 tingkat satu, 449
 persamaan differensial
 tingkat satu, 400
 persamaan linier, 51, 52, 100,
 109
 tak homogen, 53
 tridiagonal, 73
 stasioner, 111
 subtractive cancellation, 29
 suku
 sisa Taylor, 487
 sumber galat (*error*), 3

syarat Lipschitz, 406, 474

T

Teorema

Dasar Kalkulus, 301, 485

Nilai Antara, 329, 483

Nilai Ekstrim, 483

Sisa Taylor, 487

teorema, 333, 336, 338

nilai antara, 372

Teorema Rolle, 484

Umum, 484

tingkat keakuratan, 5, 21, 110

titik mengambang

pembulatan, 25

titik-mengambang, 21

basis β , 27, 49

biner, 16

normal, 16, 26, 37, 39, 40,

50

desimal, 14

normal, 14, 47

pembulatan, 25, 49

terpangkas, 25, 49

Translasi Gauss, 345

V

vektor

konstanta, 53, 100, 109, 123