

International Conference

Arifin, F., Sardjono, T.A., Purnomo, M.H., Esophageal Speech Recognition Utilizing Pulsed Coupled Neural Network, International Seminary BME Days (Biomedical Engineering), 2010, Surabaya

Sertifikat



Letter of Acceptance



Dear

Fatchul Arifin

We hereby inform you that your paper with

Paper ID: **014**

Title : **Esophageal speech Recognition Utilizing Pulse Coupled Neural Network**

has passed the review stage and is

ACCEPTED WITH CORRECTION(S)

Reviewer's Notes:

1. Perhatikan lagi tulisannya
2. Kesimpulan bisa ditambahkan

The payment and registration should be no later than September 1, 2010. Send your scanned payment transcript via e-mail, with your paper ID as the file name (example: 001-Proof of Payment). For more complete informations please go to our home page: <http://bmedays.ieeexpo.org>

Congratulations for your paper acceptance. We are very pleased to present your ideas on BME Days 2010.

Best regards,

Prof. Dr. Ir. Mauridhi Hery Purnomo, M.Eng.
General Chairman of BME Days 2010


In Collaboration with:



submit to:
sitia.ieeexpo.org
bmedays.ieeexpo.org
email:
sitainfoexpo.org, sitainfo@its.ac.id
bmedays@its.ac.id

secretariat:
Building B607
Department of Electrical Engineering
Institut Teknologi Sepuluh Nopember
Surabaya, Indonesia

Cover



PROCEEDINGS OF THE 6TH INTERNATIONAL CONFERENCE
ON BIOMEDICAL ENGINEERING,
BME DAYS 2010

EDITOR-IN-CHIEF

I Ketut Eddy Purnama, ST., MT., Ph.D
E-mail : ketut@ee.its.ac.id

EDITORIAL COORDINATORS

Achmad Arifin, ST., M.Eng., Ph.D
E-mail : arifin@ee.its.ac.id

Dr. Tri Arief Sardjono, ST., MT.
E-mail : t.a.sardjono@ee.its.ac.id

I Ketut Eddy Purnama, ST., MT., Ph.D
E-mail : ketut@ee.its.ac.id

Dr. Mochammad Rivai, ST., MT.
E-mail : muhammad_rivai@ee.its.ac.id

EDITORIAL ADVISORY BOARD

Prof. Dr. Ir. Mauridhi Hery Purnomo, M.Eng.
E-mail: hery@ee.its.ac.id

COMMITTEE OF BME DAYS 2010

General Chair :

Prof. Dr. Ir. Mauridhi Heri Purnomo (ITS, Indonesia)

Advisory Committee:

Prof. Dr. Ir. M. Nuh, DEA (ITS, Minister of Education)

Prof. Ir. Priyo Suprobo, MS., Ph.D (Rector of ITS, Indonesia)

Dr. dr. Nasronudin Sp.PD, K-PTI. (Unair)

Prof. Dr. dr. Kuntaman, MS., Sp.MK (Unair)

Prof. Dr. Bart Verkerke (Rijksuniversiteit Groningen, Netherlands)

Prof. Dr. Tati Mengko (ITB)

Prof. Dr. Widowati Siswomihardjo(UGM)

Prof. Dr. Tresna P. Soemardi(UI)

Prof. Dr. Rosdiana Natzir (Unhas)

Prof. Dr. med. Puruhito, MD. (Unair)

Technical program committee :

Dr. I Ketut Eddy Purnama (ITS, Indonesia)

Dr. Prihartini Widiyanti, drg. M.Kes (ITD-Unair, Indonesia)

Dr. Tri Arief Sardjono (ITS, Indonesia)

Dr. Achmad Arifin (ITS, Indonesia)

Dr. Muhammad Rivai (ITS, Indonesia)

Dr. Djoko Purwanto (ITS, Indonesia)

Dr. Agus Zainal Arifin (ITS, Indonesia)

Dr. Dadet Pramadihanto (ITS, Indonesia)

Dr. rer. nat. Aulia M.T. Nasution (ITS, Indonesia)

Dr. Son Kuswadi (ITS, Indonesia)

Dr. Dhany Arifianto (ITS, Indonesia)

Dr. Suprpto (ITS, Indonesia)

Dr. M. Zainuri (ITS, Indonesia)

Dr. Darminto (ITS, Indonesia)

Syamsul Arifin MT. (ITS, Indonesia)

Suyanto MT. (ITS, Indonesia)

Diah Puspito W. (ITS, Indonesia)

Organizing Committee

Atar Fuady Babgei

Niko Permana R.W

Ivan Karsten

Pranata Ari Baskoro

Febri Ardianto

M. Nur Rohman

Riyan Sujatmiko

Rizky Pratama Putra

Harno Pratomo

Kevin Nyoman Putra

Radika Henry Wijaya

M. Ikhsan

Aryo Nugroho

Fery Efendi Hermawan

Debby Pratiwi Meiyesti T.

Andi Nur Arief Wibowo

Siti Aisyah

Gumilang Wicaksono

Diah Kusumawati

Median HP

Alfina Zuzzida

Daftar isi

LIST OF PAPERS

001	Towards Quantitative, Low-Cost, Webcam-Based Microscopy for Medical Diagnostics Marten Darmawan, Amir Faisal, Gea O.F. Parikesit	1
002	Bio-computational Analysis of Rheumatoid Arthritis of the Wrist Mohd Nazri Bajuri, Mohammed Rafiq Abdul Kadir	7
003	Cry Spectrography as a Diagnostic Tool of Acute Pain in Infants (A Preliminary Study) Elizeus Hanindito, Nancy Margarita Rehatta, Eddy Rahardjo, Mauridhi Hery P.	14
004	Color Retinal Image Compression Using Adaptive Vector Quantization Agung W. Setiawan, Andriyan B. Suksmono, Tati R. Mengko, Oerip S. Santoso	21
005	Spectral Analysis of EEG Signals during Listening Music and Math Task Conditions Kemalasari, Mauridhi Hery Purnomo	24
006	QR Code Application In Wordpress Based For Medical Learning With Online/ Offline Scenario With RSS Synchronization Ahmad Sirojuddin, Candra Ahmadi, Achmad Affandi	29
008	Radiation Exposure Measurement Outside LINAC Radiotherapy Bunker of Dr. Sardjito Hospital, Yogyakarta Yuwono Marta Dinata, Maesadji Tj, Thomas Sri Widodo	35
009	Emotion Recognition Using Physiological Analysis and Pattern Matching of Face Sequences from Video Arlends Chris, Lina	41
010	Implementation of Centralised Electronic Health Record Data Center based on OpenEHR in Indonesia Alsasian Atmopawiro, Lovinta Happy Atrinawati, Paul Gunawan Hariyanto, Chitra Hapsari Ayuningtyas, Putri Saptawati	46
012	A General Mapping Tool for Exchanging Electronic Health Records Lovinta Happy Atrinawati, Alsasian Atmopawiro, Paul Gunawan Heriyanto	52

013	Pulse Waveform Records of Type 2 Diabetic Nephropathy Disease Patients at Radial Artery Chi Area	58
	Emi Yudaningtyas, Harijono Achmad, Rasjad Indra, Waru Djuriatno	
014	Esophageal Speech Recognition Utilizing Pulse Coupled Neural Network	64
	Fatchul Arifin, Tri Arief Sardjono, Mauridhi Hery Purnomo	
016	Rician Denoising from MRI Images via ROF Model	69
	Agung Alfiansyah	
017	Smart Acquisition ECG Data Using 3G with Mobile Telemedicine	74
	Muhammad Ashar	
019	Heartbeat Biomodeling with Pressure Change Approach for CABbaGe Simulator	79
	Aciek Ida Wuryandari, Zakia Lutfiyani	
020	Design And Implementation of Vessel Cutting Simulation Using Simulation Open Framework Architecture (SOFA)	84
	Aciek Ida Wuryandari, Gina Indriani	
021	Development of ST-Segment Interpretation Software for Myocardial Ischemia and Infarction Using Artificial Neural Network Multilayer Preceptron	89
	Aulia Arif Iskandar, Judojono Kartidjo, Tati L. R. Mengko	
022	Two Video Synchronization And Three Dimensional Reconstruction for Human Gait Viewing	94
	Amar Vijai N., Tati L. R. Mengko, T. Apriantono	
023	Effect of Cold Deformation and Sandblasting on Hardness, Microstructure and Corrosion Resistance of AISI 316L for Medical Implant	97
	Teguh Dwi Widodo, Suyitno	
024	Stress Transfer of Different Abutment-Implant Connection of Dental Implant	101
	Aisyah Ahmad Shafi, Mohammed Rafiq Abdul Kadir, Shamsul Sulaiman	

014 Esophageal Speech Recognition Utilizing Pulse Coupled Neural Network

Fatchul Arifin¹⁾, Tri Arief Sardjono²⁾, Mauridhy Hery Purnomo²⁾

1). Jurusan Teknik Elektronika Univ Negeri Yogyakarta, email: fatchul@uny.ac.id

2). Jurusan Teknik Elektrot Institut Teknologi Surabaya, email: t.a.sardjono@ee.its.ac.id, hery@ee.its.ac.id

Abstract - The laryngectomies patient has no ability to speak normally because their vocal chords have been removed. The simplest option for the patient to speech again is esophageal speech. Meanwhile, the voice recognition technology has been increased rapidly. In order the voice recognition technology also can be used by esophageal speech correctly, the esophageal speech recognition technology must be developed.

This paper describes a system for esophageal speech identification. Two main parts of the system, feature extraction and pattern recognition were used in this system. The Pulse Coupled Neural Network - PCNN is used to extract the feature and characteristic of esophageal speech. The pattern recognition, multi layer perceptron, will recognize the sound patterns.

From the experiments and results It can be concluded that the system can recognize esophageal speech very well up to 95,8 %. It is also can be known that PCNN can be utilized as feature extractor very well.

Keywords: esophageal speech recognition, pulse coupled neural network (PCNN), multi layer perceptron (MLP)

Several ways to make laryngectomies can talk again have been developed. The easiest way is esophageal speech. Esophageal speech is a voice generated without the oscillation of the vocal folds. The voice is produced by releasing gases through the esophagus, in a manner similar to burping, to create speech. The esophagus functions in esophageal speech in much the same manner as the vocal cords in laryngeal speech, oscillating quickly to create distinct speech sounds. Esophageal speech is speaking by cructation [5].

Meanwhile research in the Speech recognition and its application is now going rapidly. A lot of application of speech recognition was introduced. Some of them are application of voice recognition in cryptograph of public key by magdalena [6], application of voice recognition in musical request by achmad basuki [7], application of voice recognition in car controller by ajub ajulian [8], and etc. Expected that this technology also can be used by esophageal speech satisfy.

This paper describes how to recognize the esophageal speech accurately by utilizing Pulse Code Coupled Network as speech feature extraction.

I. INTRODUCTION

The average number of laryngeal cancer patients in RSCM is 25 people per year [1]. More than 8900 persons in the United States are diagnosed with laryngeal cancer every year [2]. The exact cause of cancer of the larynx until now is unknown, but it is found some things that are closely related to the occurrence of laryngeal malignancy: cigarettes, alcohol, and radioactive rays.

Ostomy is a type of surgery needed to make a hole... (stoma)... on... a... particular part... of... body. Laryngectomy is an example of Ostomy. It is an operations performed on patients with cancer of the larynx (throat) which has reached an advanced stage. The impact of this operation will make the patients can no longer breathe with their nose, but through a stoma (a hole in the patient's neck) [3].

Human voice is produced by the combination of the lungs, the valve throat (epiglottis) with the vocal cords, and articulation caused by the existence of the oral cavity (mouth cavity) and the nasal cavity (nose cavity) [4]. Removal of the larynx will automatically remove... the human voice. So post-surgery of the larynx, the patient can no longer speak as before.

II. ESOPHAGEAL SPEECH SIGNAL PROCESSING

There are two main parts of the speech recognition systems; they are voice extraction and the pattern recognition. Voice extraction will take unique characteristic of the esophageal speech, while pattern recognition is utilized to identify patterns voices.

In the year 2009, Muhammad Bahaoura compare the various methods related to feature extraction and pattern recognition for detection of diseases through the human respiratory sound [9]. In the feature extraction he utilized some different methods, they are Fast Fourier Transform (FFT), Linier Predictive Coding (LPC), Wavelet Transform (WT), and Mel-frequency cepstral coefficients (MFCC). He also utilized some differents methods for pattern recognition proces, they are Vector quantization (VQ), Gaussian Mixture Models (GMM) and Artificial Neural Network (ANN). According to Bahoura, the combination between MFCC and GMM is the best methods related to the respiratory sound.

Beyond what is presented by bahaoura, there is a feature extraction method that is used widely for

image processing. This method is Pulse Coupled Neural network (PCNN).

PCNN is a binary model. Although it is very popular for image processing extraction, but now some researcher develop it for voice recognition. Taiji Sugiyama utilized PCNN as pattern recognition unit. [10]

Esophageal speech recognition system which is proposed in this paper consist of *Fast Fourier Transform* (FFT), *Pulse Couple Neural Network* (PCNN), and *Multi Layer Perceptron* (MLP). Block diagram of this process can be showed in Figure 1.




Fig. 1 Esophageal Speech Recognition process

Esophageal speech signal will be converted to the frequency domain by Fast Fourier Transform (FFT). This characteristic is important because the frequency domain gives a clearer view to be observed and manipulated than time domain.

Output of the Fast Fourier Transform will be sent to the pulse couple neural network for getting unique characteristic of esophageal voice.

The output of the PCNN will be fed into multi-layer perceptron (MLP). MLP will identify it, whether esophageal speech is recognized correctly or not.

III. PCNN FOR ESOPHAGEAL SPEECH RECOGNITION

PCNN is a pair of single layer neural network which is connected laterally, and two dimensions. Each of its inputs is connected to the input matrix. PCNN consist of:

- Input Part,
- Linking Part
- And Pulse Generator.

In the input part there are two parts, they are *linking input* and *feeding input*. Neurons receive input signal through the feeding and linking input [9]. Structure of Pulse Coupled Neural Network that utilized in this research can be seen in figure 2 below.




Fig. 2 Structure of PCNN

PCNN mathematical equations of the systems can be written as follows:

$$L_{ij}(n) = L_{ij}(n-1) \cdot e^{-\alpha_L} + V_L \quad (1)$$

$$U_{ij}(n) = F_{ij}(n) \cdot (1 + \beta \cdot L_{ij}(n)) \quad (2)$$

$$\Theta_{ij} = \Theta_{ij}(n-1) \cdot e^{-\alpha_\Theta} + V_\Theta \quad (3)$$

$$Y_{ij}(n) = \begin{cases} 2 & \text{if } U_{ij} > \Theta_{ij}(n) \\ 1 & \text{if } U_{ij} = \Theta_{ij}(n) \\ 0 & \text{otherwise} \end{cases} \quad (4)$$

Where:

- F_{ij}: feeding input,
- L_{ij}: linking input,
- n: iteration number,
- W dan M: Weight matrix,
- *: Convolution operation,
- Y_{ij}: output of neuron at coordinate i,j.
- V_L and V_F: voltage potential,
- α_L and α_F: decayed constants

Single signals of the linking input are biased and multiplied together. Input values F_{ij} and L_{ij} are modulated in linking part of neuron. These processes will generate neuron internal activity U_{ij}. If the internal activity is greater than dynamic threshold Θ_{ij}, the neuron will generate output pulses. In contrast, the output will be zero.

The input matrix is transformed through PCNN into a sequence of temporary binary matrixes. Each of these binary matrixes has the same dimension as input matrix. The sum of all activities in specific iteration step gives one value which represents one feature for the classification.

It is evident that PCNN is not the neural network in the term of classification. It is only a mean of feature extraction for pattern classification.

IV. EXPERIMENTS AND RESULTS




Fig. 3 Output of PCNN for esophageal speech recognition "A"




Fig. 4 Output of PCNN for esophageal speech recognition "B" Consonant

In this paper, feature extraction of esophageal speech recognition has been conducted by PCNN. There are 16 "A" vowel, and 8 "B" consonant from different laryngectomies voice. Speech samples from data base were divided in to training and testing sets.

Recorded esophageal speech was sampled with sampling frequency 44.100 Hz and 16 bits resolution. It is assumed that the frequency of human voice signals is 300-3400 Hz. Sampling process must meet the Nyquist criterion. The nyquist criterion states:

$$f_s \geq 2x f_h$$

$$f_h = f_m \text{Highest}$$

Sampling frequency must be equal to or greater than twice input frequency. Thus, 44.100 Hz sampling has fulfilled the nyquist criterion.

Further, sampled signal will be converted from time domain in to the frequency domain utilizing *Fast Fourier Transform* (FFT). In this paper it is used FFT 512 point. Because the FFT is symmetric, the FFT output is taken only half of it. It is 256 data.

Output of FFT will be fed to the PCNN unit. In this paper PCNN used parameters as below:

$$\begin{aligned} \alpha_L &= 1; \\ \alpha_T &= 0.2; \\ \beta &= 3; \\ V_L &= 1.00; \\ V_T &= 20; \\ L &= \text{zeros}(p,q); \\ U &= \text{zeros}(p,q); \\ Y &= \text{zeros}(p,q); \\ Y0 &= \text{zeros}(p,q); \\ \text{Theta} &= \text{zeros}(p,q); \end{aligned}$$

The some PCNN output of some "A" vowel can be shown at figure 3. While PCNN Output of some "B" consonant can be shown at figure 4.

Furthermore, the output of the PCNN will be accepted by the MLP. MLP has three layers. The number of neurons in each layer: input layer 256, hidden layer 10, and output layer 1.

Furthermore, the system was trained by training set input. In the 363 iteration system met the goal. After the training, the system was tested. The result of training can be seen at table 1.

Table 1 Esophageal Speech Recognition Testing

No	Esophageal Signal	Output	Result of Recognition
1	A edi 1	0.9231	ok
2	A edison 1	0.9340	ok
3	A tobing 1	0.9594	Ok
4	A tyiong 1	0.9432	Ok
5	A zainudin 1	0.9588	Ok
6	A khairul 1	0.9745	Ok
7	A lugiono 1	0.9916	Ok
8	A lugiono 3	0.9726	Ok
9	B lugiono 1	0.0404	Ok
10	B lugiono 2	0.0404	Ok
11	B edi 1	0.0634	Ok
12	B edison 1	0.0914	Ok
13	B Zainudin 1	0.0789	Ok
14	A edi 2	0.6524	Ok
15	A edison 2	0.7738	Ok
16	A tobing 2	0.8814	Ok
17	A tyiong 2	0.8814	Ok
18	A zainudin 2	0.9242	Ok
19	A khairul 2	0.9925	Ok
20	A lugiono 5	0.6657	Ok
21	A lugiono 4	0.0477	Wrong
22	B lugiono 3	0.0292	Ok
23	B tobing 1	0.4354	Ok
24	B tyiong 1	0.0634	Ok

The results shows that the system can recognize 23 from 24 vowel and consonant esophageal speech (95,8 %) . There is only one data that cannot be recognized correctly. This is caused by the poor quality of recording process.

V. CONCLUSION

The result of testing showed that system was running well. It can recognize esophageal speech correctly. Its validity is 91, 2 %. Maybe one data that not recognized correctly is caused by poor quality of recording process.

From the experiment and results we can also conclude that PCNN can be utilized as feature extractor very well. It is simple and gives good results.

REFERENCES

- [1] Nury Nurdwinuringtyas, Tanpa pita suara berbicara, Blog spot, February, 2010
- [2] American Cancer Society. Cancer facts and figures-2002
- [3] Fatchul A, Tri Arief S, Mauridhy Hery, ElectroLarynx, Esopahgus, and Normal Speech Classification using Gradient Discent, Gradient discent with momentum and learning rate, and Levenberg-Marquardt Algorithm, ICGC 2010
- [4] Fellbaum, K.: Human-Human Communication and Human-Computer, Interaction by Voice. Lecture on the Seminar "Human Aspects of Telecommunications for Disabled and Older People". Donostia (Spain), 11 June 1999
- [5] http://en.wikipedia.org/wiki/Esophageal_speech, Juli 2010
- [6] Magdalena Marlin Amanda, application of voice recognition in cryptograph of public key, Tugas Akhir Petra
- [7] Achmad Basuki, Miftahul Huda, Tria Silvie Amalia, application of voice recognition in musical request, Jurusan Teknik Telekomunikasi Politeknik Elektronika Negeri Surabaya
- [8] Ajub Ajulian Z., Achmad Hidayatno, Muhammad Widyanto Tri Saksono, application of *voice recognition in car controller*
- [9] Mohammed Bahoura, Pattern recognition methods applied to respiratory sounds classification into normal and wheeze classes, International journal: Computers in Biology and Medicine 39 (2009) 824 – 843, journal homepage : www.elsevier.com/locate/cbm
- [10] Taiji Sugiyama, Speech recognition using pulse-coupled neural networks with a radial basis function, ISAROB 2004, Artif Life Robotics (2004) 7:156-159